

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S283	11	S277 AND @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/29 13:19
S282	1	S281 AND S265	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/29 13:19
S281	18	(periodical\$2 poll\$3 proxy) AND queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/29 13:19
S264	3964	S263 AND @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/29 13:19
S280	4	periodical\$2 poll\$3 proxy queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/29 13:16
S279	48	periodical\$2 poll\$3 proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/29 13:16
S278	4	S277 and S265	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/29 13:15
S277	52	(proxy WITH queue) AND polling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/29 13:13
S276	9	(proxy WITH queue) polling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/29 13:12
S275	10	((proxy WITH server) queue) polling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/29 13:12
S274	10	((proxy NEAR2 server) queue) polling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/29 13:11
S273	6	((proxy NEAR2 server) queue) polling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/07/29 13:10

S27 2	20	((proxy NEAR2 server) queue) AND (server WITH poll\$3) AND fire\$1wall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/07/29 13:10
S9	15	S8 AND @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/29 12:55
S26 9	6	(proxy NEAR2 server) queue server poll\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/07/29 12:54
S27 1	11	(proxy NEAR2 server) queue server poll\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/29 12:52
S26 7	4	S266 AND (polling NEAR2 (server OR proxy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/29 12:16
S26 6	481	S264 and S265	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/29 12:05
S26 5	9067	(709/229;713/200-202).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/29 12:05
S26 3	9832	access\$3 (secur\$2 OR enterprise OR (secured NEAR2 network) OR (behind NEAR2 fire\$1wall) OR private) ((network NEAR2 resource) OR printer OR file OR (file NEAR2 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/29 12:04
S1	56	Network NEAR resource NEAR((access NEAR system) OR (communication NEAR system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/29 11:59
S26 2	2	("20030172118").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 16:21
S26 1	5	(network NEAR2 driver NEAR2 application) SAME firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S26 0	9	S256 SAME (access\$3 WITH control\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08

S25 9	11	S257 AND fire\$1wall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S25 8	2	S257 AND (authorization NEAR2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S25 7	80	S256 AND (access\$3 WITH control\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S25 6	127	network NEAR2 driver NEAR2 application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S25 5	6	S254 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S25 4	54	(driver ADJ database)SAME driver SAME application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S25 3	11	S252 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S25 2	31	S251 SAME network SAME server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S25 1	1092	providing WITH driver WITH application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S25 0	8	S249 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S24 9	18	S248 AND S221	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S24 8	192	S247 SAME access SAME control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08

S24 7	6594	network NEAR printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S24 6	11	S245 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S24 5	30	access\$3 resource (protected OR firewall)driver application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S24 4	17	S242 AND S243	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S24 3	7283	resource access control network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S24 2	2897	IPP OR (Internet ADJ print ADJ protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S24 1	4	S236 AND S240	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S24 0	2446	(709/229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 14:08
S23 9	580	driver NEAR (identifier OR ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S23 8	2	S237 AND firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S23 7	86	S236 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S23 6	240	(sending OR providing OR transmit\$4) driver application resource (network OR device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08

S23 5	11	S234 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S23 4	84	S233 AND firewall AND network AND proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S23 3	17990	printer WITH driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S23 2	0	authomatic\$3 printer driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S23 1	10	S230 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S23 0	50	S229 AND firewall AND network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S22 9	1424	provid\$3 printer driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S22 8	39	firewall printer driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S22 7	27	firewall printer driver network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S22 6	20	S223 AND ((driver NEAR database)OR((authorization OR adminstration)NEAR2 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S22 5	13	S223 AND ((authorization OR adminstration)NEAR2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S22 4	5	S223 SAME ((authorization OR adminstration)NEAR2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08

S22 3	412	resource WITH driver WITH network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S22 2	5	S217 AND S221	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S22 1	9058	(709/229, 713/200,201,202).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S22 0	3385	S216 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S21 9	4	S218 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S21 8	30	S216 AND S217	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S21 7	196	driver ADJ database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S21 6	6171	(send\$3 OR provid\$3)NEAR driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S21 5	9	S214 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S21 4	19	send\$3 NEAR2 driver NEAR3 resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S21 3	49	S211 AND @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S21 2	5	S211 AND (network NEAR resource)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08

S21 1	117	(send\$3 OR transmit\$4 OR transfer\$4)WITH S210	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S21 0	1453	driver NEAR3 database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S20 9	11	S208 and (AUTHORIZATION near2 SERVER)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S20 8	439	S207 and @AD<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S20 7	1939	FIREWALL PROXY SERVER	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S20 6	32	S205 and @AD<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S20 5	63	FIREWALL PROXY SERVER AUTHORIZATION	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S20 4	25	S202 and @AD<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S20 3	9	S202 AND (709/229, 713/200,201,202).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S20 2	46	(client OR user) SAME (public OR Internet) SAME network SAME firewall SAME S201	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S20 1	21363	(access NEAR3 level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S20 0	44	S199 AND firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08

S19 9	278	Network WITH enabled WITH printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S19 8	7	S192 AND S197	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S19 7	165	S196.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S19 6	2559	(resource NEAR3 access NEAR2 control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S19 5	23	S194 AND (fire\$1wall SAME proxy SAME server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S19 4	325	S192 AND (resource WITH access WITH control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S19 3	26	S191 AND S192	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S19 2	5094	(709/229,713/200,201,202).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 14:08
S19 1	201	fire\$1wall SAME resource SAME proxy SAME server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S19 0	984	alias NEAR name	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S18 9	120	(Network NEAR5 resource)SAME proxy SAME server SAME firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S18 8	9	(Network NEAR5 resource)SAME proxy SAME server SAME firewall SAME enterprise	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08

S18 7	4	(Network NEAR resource)SAME proxy SAME server SAME firewall SAME enterprise	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S18 6	5	S185 AND (resource WITH driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S18 5	31	(US-20020078183-\$ or US-20020083340-\$ or US-20020103903-\$ or US-20020144016-\$ or US-20030014521-\$ or US-20030037126-\$ or US-20030051038-\$ or US-20010054070-\$ or US-20020040400-\$ or US-20010039587-\$).did. or (US-5580177-\$ or US-6161139-\$ or US-6182142-\$ or US-6219786-\$ or US-6317838-\$ or US-6324648-\$ or US-6377994-\$ or US-6453353-\$ or US-6728787-\$ or US-6754693-\$ or US-6763467-\$ or US-6757740-\$ or US-6742039-\$ or US-6687732-\$ or US-6662228-\$ or US-6604143-\$ or US-6584508-\$ or US-6513061-\$ or US-6345300-\$ or US-6233618-\$ or US-6138162-\$).did.	US-PGPUB; USPAT	SAME	ON	2005/07/26 14:08
S18 4	13	S183 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S18 3	49	resource NEAR3 (access OR control)SAME(FIREWALL same (PROXY near2 SERVER))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S18 2	11	resource NEAR (access OR control)SAME(FIREWALL same (PROXY near2 SERVER))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S18 1	52	S180 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S18 0	97	S179 and (FIREWALL same (PROXY near2 SERVER))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S17 9	2446	(709/229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 14:08
S17 8	25	S177 and FIREWALL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S17 7	34	S175 AND (PROXY near SERVER)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08

S17 6	8	S175 SAME PROXY near SERVER	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S17 5	293	polling NEAR server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S17 4	4	S165 AND S173	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S17 3	196	driver ADJ database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S17 2	16	S171 AND @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S17 1	44	distribut\$3 NEAR3 driver NEAR4 application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S17 0	9	S169 AND @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S16 9	27	S167 AND S168	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S16 8	20348	(709/203,217,219,220,223,225,226,227,228,229). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 14:08
S16 7	90	S165 AND firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S16 6	5	S165 SAME firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S16 5	419	access NEAR3(secured OR restricted) NEAR2 (resource OR printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08

S16 4	1799	network WITH resource WITH control WITH access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S16 3	28	(authoriz\$5 NEAR server) SAME control SAME access SAME resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S16 2	15	(authoriz\$5 NEAR server) WITH control WITH access WITH resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S16 1	16	S160 AND @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S16 0	55	S159 NEAR2 (device OR resource OR printer OR IPP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S15 9	512	driver NEAR database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S15 8	6	((("6438586") or ("6360252") or ("5987611"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 14:08
S15 7	6	provid\$3 WITH driver WITH (client OR terminal OR user) AND S155	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S15 6	5	(private AND public) NEAR access and S155	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S15 5	334	S152 and S154	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S15 4	20866	resource NEAR3 control\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S15 3	15	driver NEAR application AND S152	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08

S15 2	2446	(709/229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 14:08
S15 1	18	S143 AND S150	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S15 0	181	(private AND public AND authorized) NEAR access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S14 9	12	S148 AND (driver NEAR4 (printer OR application OR module))SAME (client OR terminal OR user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S14 8	318	receiv\$3 WITH request WITH (terminal OR client OR node OR device) WITH (network NEAR2 resource)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S14 7	15	S146 AND @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S14 6	26	S143 AND S145	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S14 5	219	S144 AND (driver NEAR4 (printer OR application OR module))SAME (client OR terminal OR user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S14 4	7417	resource NEAR3 (allocation OR assign\$5 OR access) NEAR4 control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S14 3	20348	(709/203,217,219,220,223,225,226,227,228,229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 14:08
S14 2	1	S141 AND (resource ADJ driver ADJ applications) AND (authorization ADJ server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S14 1	3	(resource ADJ (registry OR type OR records)) AND (network ADJ resource) AND (driver ADJ database)AND (Network NEAR resource NEAR((access NEAR system) OR (communication NEAR system)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08

S14 0	63	Network NEAR resource NEAR((access NEAR system) OR (communication NEAR system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 14:08
S13 9	7	S138 SAME (proxy AND fire\$1wall)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 12:55
S13 8	562	poll\$3 ADJ server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 12:52